This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

HAIDNER, et al Q79633 APPARATUS AND METHOD FOR MEASURING THE WAVEFRONT OF AN OPTICAL SYSTEM Filed: January 29, 2004 SUGHRUE, MION 202-293-7060 1 of 5

1|5








Fig. 2

HAIDNER, et al Q79633 APPARATUS AND METHOD FOR MEASURING THE WAVEFRONT OF AN OPTICAL SYSTEM Filed: January 29, 2004 SUGHRUE, MION 202-293-7060 2 of 5


2/5






HAIDNER, et al Q79633 APPARATUS AND METHOD FOR MEASURING THE WAVEFRONT OF AN OPTICAL SYSTEM Filed: January 29, 2004 SUGHRUE, MION 202-293-7060 3 of 5


3/5






HAIDNER, et al Q79633
APPARATUS AND METHOD FOR MEASURING
THE WAVEFRONT OF AN OPTICAL SYSTEM
Filed: January 29, 2004
SUGHRUE, MION 202-293-7060
4 of 5

4/5





HAIDNER, et al Q79633 APPARATUS AND METHOD FOR MEASURING THE WAVEFRONT OF AN OPTICAL SYSTEM Filed: January 29, 2004 SUGHRUE, MION 202-293-7060 5 of 5

515

Fig. g

